

# Cumulative Index 1982, 1983, and 1984

Volumes 9, 10, and 11

*Note:* The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

## SYMPOSIA

---

### 1982

<i>February</i>	OBSTETRIC ANESTHESIA AND ANALGESIA
<i>June</i>	FETAL MONITORING
<i>October</i>	FLUID BALANCE IN THE NEWBORN INFANT

### 1983

<i>February</i>	INNOVATIVE PLANNING OF PERINATAL CENTERS
<i>June</i>	OPERATIVE OBSTETRICS
<i>October</i>	PERINATAL ENDOCRINOLOGY

### 1984

<i>February</i>	CONTINUING CARE OF THE HIGH-RISK INFANT
<i>June</i>	PERINATAL HEMATOLOGY
<i>October</i>	NEONATAL PULMONARY HYPERTENSION

---

Abdomen, injuries to, due to birth trauma,  
1983: June, 499

pregnant, blunt trauma to, 1983: June,  
429-432

penetrating trauma to, 1983: June,  
432-433

Abortion, anti-D immune globulin following,  
1983: June, 345-346

due to folate deficiency, 1984: June, 442

midtrimester, 1983: June, **305-320**

spontaneous, steroid measurements in  
evaluation of, 1983: Oct., 534-535

ABO typing, fetal, fetal blood sampling for,  
1983: June, 363

Abruptio placentae, anesthetic considera-  
tions, 1982: Feb., 119-121

megaloblastic anemia associated with,  
1984: June, 441

Acetylcholine, for persistent pulmonary hy-  
pertension of the newborn, 1984: Oct.,  
558, 696

Acid-base balance, and placental transfer of  
local anesthetics, 1982: Feb., 16-22, 31  
effect on the pulmonary circulation, 1984:  
Oct., 555-556

fetal, effect of meperidine on, 1982: Feb.,  
44-45

prediction of, 1982: June, 353-361

# Cumulative Index 1982, 1983, and 1984

Volumes 9, 10, and 11

*Note:* The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

## SYMPOSIA

---

### 1982

<i>February</i>	OBSTETRIC ANESTHESIA AND ANALGESIA
<i>June</i>	FETAL MONITORING
<i>October</i>	FLUID BALANCE IN THE NEWBORN INFANT

### 1983

<i>February</i>	INNOVATIVE PLANNING OF PERINATAL CENTERS
<i>June</i>	OPERATIVE OBSTETRICS
<i>October</i>	PERINATAL ENDOCRINOLOGY

### 1984

<i>February</i>	CONTINUING CARE OF THE HIGH-RISK INFANT
<i>June</i>	PERINATAL HEMATOLOGY
<i>October</i>	NEONATAL PULMONARY HYPERTENSION

---

Abdomen, injuries to, due to birth trauma,  
1983: June, 499

pregnant, blunt trauma to, 1983: June,  
429-432

penetrating trauma to, 1983: June,  
432-433

Abortion, anti-D immune globulin following,  
1983: June, 345-346

due to folate deficiency, 1984: June, 442

midtrimester, 1983: June, **305-320**

spontaneous, steroid measurements in  
evaluation of, 1983: Oct., 534-535

ABO typing, fetal, fetal blood sampling for,  
1983: June, 363

Abruptio placentae, anesthetic considera-  
tions, 1982: Feb., 119-121

megaloblastic anemia associated with,  
1984: June, 441

Acetylcholine, for persistent pulmonary hy-  
pertension of the newborn, 1984: Oct.,  
558, 696

Acid-base balance, and placental transfer of  
local anesthetics, 1982: Feb., 16-22, 31  
effect on the pulmonary circulation, 1984:  
Oct., 555-556

fetal, effect of meperidine on, 1982: Feb.,  
44-45

prediction of, 1982: June, 353-361

- Acidosis, fetal, 1982: June, 392-395
- Adenocarcinoma, of fallopian tube, during pregnancy, 1983: June, 376
- of uterus, during pregnancy, 1983: June, 375
- Adrenal gland, fetal, 1983: Oct., 680-681
- autoregulation of, 1983: Oct., 543-544
- Adrenocorticotrophic hormone, beta-endorphin and, in pregnancy, 1983: Oct., 653-667
- in the fetoplacental unit, 1983: Oct., 678-679
- in the maturing fetus, 1983: Oct., 541-543
- Afibrinogenemia, 1984: June, 323-324
- AIDS, in hemophiliacs, 1984: June, 330
- Air-oxygen proportioners, descriptions and prices, 1983: Feb., 274-275
- Airway obstruction, apnea and, 1984: Feb., 91
- Albinism, fetal skin sampling for, 1983: June, 366
- Aldosterone, in pregnancy-induced hypertension, 1983: Oct., 742-743
- Alpha fetoprotein, in fetal assessment, 1983: Oct., 772
- Alveolar rupture, from mechanical ventilation, in infants with persistent pulmonary hypertension, 1984: Oct., 662-666
- Amenorrhea, puerperal, etiology of, 1983: Oct., 731-733
- Amblyopia, due to cicatricial retrolental fibroplasia, 1984: Feb., 140
- Amiel-Tison method, of neurologic assessment, 1984: Feb., 44
- Amniocentesis, anti-D immunoprophylaxis after, 1983: June, 347-349
- Amnioinfusion, in induction of midtrimester abortion, 1983: June, 312-313
- Aminotic fluid, beta-endorphin in, 1983: Oct., 662-663
- Amniotic fluid spectrophotometry, for Rh disease, 1984: June, 255-259
- Amniotic fluid tests, for determining fetal maturity, 1982: June, 303-305
- Amrinone, for persistent pulmonary hypertension of the newborn, 1984: Oct., 697
- Analggesia. See also *Anesthesia*.
- during labor, 1983: June, 373-374
- obstetric, symposium on, 1982: Feb., 1-224
- systemic, during labor, 1982: Feb., 29-53
- recommendations for use, 1982: Feb., 48-49
- Analgesic drugs. See also specific agent, e.g., *Meperidine*.
- systemic, disposition and distribution, 1982: Feb., 30-31
- effects on fetal heart rate monitoring, 1982: Feb., 45
- neurobehavioral effects, 1982: Feb., 47-48
- pharmacokinetics, 1982: Feb., 32-34
- Anemia, aplastic, constitutional, 1984: June, 376-377
- Diamond-Blackfan, 1984: June, 423-425
- Fanconi's, 1984: June, 420-422
- hemolytic, in treatment of bleeding disorders in neonates, 1984: June, 329
- in the high-risk infant, 1984: Feb., 13, 59-72
- replacement therapy for, 1984: Feb., 68-69
- transfusion therapy for, 1984: Feb., 69-70
- in neonates, assessment, 1984: June, 489-510
- of pregnancy, 1984: June, 435
- vitamin E deficiency, 1984: June, 393-402
- Anesthesia. See also *Analgesia*.
- caudal, 1982: Feb., 73
- effects of maternal adaptations to pregnancy, 1982: Feb., 113-117, 136-143
- epidural, 1982: Feb., 63-76
- anatomic mechanisms, 1982: Feb., 63-64
- clinical evaluation, 1982: Feb., 66-67
- complications, 1982: Feb., 72-73
- contraindications, 1982: Feb., 71
- effects on fetal heart rate monitoring, 1982: Feb., 53-62
- effects on neonate, 1982: Feb., 67-69, 198-202, 206
- for cesarean section, 1982: Feb., 70-71
- indications, 1982: Feb., 71-72
- pharmacology, 1982: Feb., 65-66
- physiologic mechanisms, 1982: Feb., 64-65
- fetal exposure, during nonobstetric surgery, 1982: Feb., 144-146
- for breech deliveries, 1982: Feb., 77-87
- for high-risk obstetric patient, 1982: Feb., 113-134
- for nonobstetric surgery during pregnancy, 1982: Feb., 135-152
- for pregnancy-induced hypertension, 1982: Feb., 95-111
- for pregnant diabetic patient, 1982: Feb., 153-166
- general, effect on neonatal neurobehavior, 1982: Feb., 207-208
- obstetric, advantages, 1982: Feb., 220-222
- effects on neurobehavior of neonate, 1982: Feb., 191-214
- objections to, 1982: Feb., 215-220
- recent advances, 1982: Feb., 3-12
- symposium on, 1982: Feb., 1-224
- versus no anesthesia, 1982: Feb., 215-224

- paracervical block, effect on neonatal neurobehavior, 1982: Feb., 200-201
- pudendal block, effect on neonatal neurobehavior, 1982: Feb., 201-202
- Anesthetic drugs, local, epinephrine added to, 1982: Feb., 20-21, 69
- placental transfer, 1982: Feb., 13-28
- acid-base balance and, 1982: Feb., 16-20, 31
- effect of dosage, 1982: Feb., 21-22
- protein binding and, 1982: Feb., 16-20, 31
- uteroplacental blood flow and, 1982: Feb., 15-31
- teratogenicity, 1982: Feb., 143-144
- Angiography, contrast, in diagnosis of neonatal thrombosis, 1984: June, 475-476
- Angiotensin, effects on the pulmonary circulation, 1984: Oct., 558
- Angiotensin II, in pregnancy-induced hypertension, 1983: Oct., 741-746
- Angiotensin III, in pregnancy-induced hypertension, 1983: Oct., 742
- Antibiotics, prophylactic, during cesarean section, 1983: June, 461-471
- in midtrimester abortion, 1983: June, 306
- Antibody formation, in treatment of bleeding disorders in neonates, 1984: June, 329
- Anti-D immune globulin, 1983: June, 343-355
- for antenatal prevention of Rh immunization, cost-effectiveness, 1984: June, 267-281
- Antidiuretic hormone, in newborn, inappropriate levels, 1982: Oct., 548-549
- $\alpha_2$  Antiplasmin deficiency, 1984: June, 326
- Antiplatelet drugs, for neonatal thrombosis, 1984: June, 477
- $\alpha_1$  Antitrypsin variant, 1984: June, 326
- Aorta, coarctation of, in infants, 1984: Feb., 204-205
- stenotic, in infants, 1984: Feb., 205
- Apgar scores, umbilical cord acid-base determinations and, 1982: June, 388-392
- Apgar scoring, 1982: Feb., 182-186
- Apnea, infant, idiopathic, 1984: Feb., 93-94
- in the high-risk infant home-monitoring for, 1984: Feb., 85-100
- Apnea monitors, 1983: Feb., 190
- descriptions and prices, 1983: Feb., 268-269
- Applanation transducer, for measuring intracranial pressure, 1983: Feb., 225-226
- Arachidonic acid, infusions of, effects on pulmonary circulation, 1984: Oct., 570
- products of, effects on the pulmonary circulation, 1984: Oct., 565-579
- Arginine vasopressin, secretion and control, 1983: Oct., 696-697
- Arterial thrombosis, 1984: June, 468-470
- Arteries, great, transposition of, in infants, 1984: Feb., 208-209
- intraacinar, normal development, 1984: Oct., 529-532
- preacinar, normal development, 1984: Oct., 529
- Atrial septal defect, in infancy, 1984: Feb., 204
- Atrial septum, position of, in differentiation of cardiac vs noncardiac persistent pulmonary hypertension, 1984: Oct., 604
- Asphyxia, birth, 1983: June, 473-486
- fetal, effect on placental transfusion, 1982: Oct., 571-574
- related to nonobstetric surgery, 1982: Feb., 146-147
- fetal response to, 1983: June, 475
- in labor, 1982: June, 313-314
- Autonomic nervous system, effects on the pulmonary circulation, 1984: Oct., 560-561
- Bacterial infection, transmitted by blood components, 1984: June, 407
- Barbiturates, obstetric, effect on neonatal neurobehavior, 1982: Feb., 202
- Baroreceptors, fetal cardiac activity and, 1982: June, 327
- Behavior, activity and, effect on insensible water loss in neonates, 1982: Oct., 461-462
- fetal, fetal heart rate and, 1982: June, 434-436
- Behavioral problems, in the child with bronchopulmonary dysplasia, 1984: Feb., 113
- resulting from prematurity, 1984: Feb., 227-234
- Beta-adrenergic agents, for delaying labor, 1984: Feb., 127-129
- Beta-endorphin, ACTH and, during pregnancy, 1983: Oct., 653-667
- in the maturing fetus, 1983: Oct., 543
- Bilirubin levels, means of decreasing, 1984: June, 340-343
- Biophysical profile scoring, fetal, 1982: June, 285-296
- Birth, natural, cord severance and, 1982: Oct., 569-570.
- Birth asphyxia, 1983: June, 473-486
- Birth trauma, immediate management, 1983: June, 487-505
- severe, long-term prognosis, 1983: June, 507-520

- Bleeding disorders, inherited, in neonates, 1984: June, 309-317
- Bleeding time, in detecting cause of bleeding disorders in neonates, 1984: June, 312
- Blood flow, uterine, in pregnancy, endocrine modulation of, 1983: Oct., 567-573
- Blood gas, fetal, monitoring, 1983: Feb., 191, 250-251
- Blood gas examinations, in diagnosis of persistent pulmonary hypertension, 1984: Oct., 643-646
- Blood pressure monitors, 1983: Feb., 191 descriptions and prices, 1983: Feb., 265-268
- Blood pressure monitoring, in diagnosis of neonatal thrombosis, 1984: June, 474
- Blood sampling, in neonates, effect on hemoglobin I levels, 1984: June, 497-499
- Blood tests, to screen for Rh disease, 1984: June, 254-255
- Blood transfusion, in neonates, cardiac and vascular complications, 1984: June, 408-410  
metabolic complications, 1984: June, 408  
risks, 1984: June, 403-415
- Blood volume, fetoplacental, perinatal redistribution, 1982: Oct., 559-592
- Body temperature, effect on insensible water loss, 1982: Oct., 462
- Body water, beta-endorphin in, 1983: Oct., 654-655  
homeostasis, symposium on, 1982: Oct., 453-657  
insensible loss of, in newborn, 1982: Oct., 453-482  
radiant warmers and, 1982: Oct., 472, 475, 483-503
- Bowel, fetal, obstruction of, perinatal management, 1983: June, 404  
short, in the high-risk infant, 1984: Feb., 189-197
- Brachial plexus, birth-related injury to, long-term prognosis, 1983: June, 513-515
- Bradycardia, fetal, prolonged, 1982: June, 332-334
- Bradykinin, effects on the pulmonary circulation, 1984: Oct., 558  
for therapy of persistent pulmonary hypertension of the newborn, 697
- Brain damage, behavioral disorders and, 1984: Feb., 228-234  
in asphyctic fetus, 1983: June, 480-482
- Brain size, in high-risk infants, neurologic sequelae and, 1984: Feb., 29-31
- Breathing movements, fetal, assessment, 1983: Feb., 249
- Breech delivery. See under *Delivery and Fetal, presentation.*
- Bronchopulmonary dysplasia, in the high-risk infant, 1984: Feb., 101-121  
follow-up care, 1984: Feb., 105-110  
management prior to discharge, 1984: Feb., 103-105  
outcome, 1984: Feb., 114-117
- Burns, pregnancy and, 1983: June, 383-389
- Butorphanol, for systemic analgesia during labor, 1982: Feb., 41
- Caffeine, in treatment of apnea, 1984: Feb., 87-88
- Calcitropic hormones, in maternal physiology, 1983: Oct., 578-580
- Calcium, homeostasis, during pregnancy, endocrine regulation of, 1983: Oct., 575-592
- Cardiac abnormalities, in bronchopulmonary dysplasia, 1984: Feb., 109-110
- Cardiac dysfunction, associated with persistent pulmonary hypertension of the newborn, treatment of, 1984: Oct., 717-718
- Cardiac failure, effect on insensible water loss, 1982: Oct., 463
- Cardiac function, noninvasive assessment of, in persistent pulmonary hypertension of the newborn, 1984: Oct., 627-640
- Cardiac monitors, 1983: Feb., 190
- Cardiorespiratory monitors, descriptions and prices, 1983: Feb., 265-268
- Cardiotonic therapy, in management of infants with persistent pulmonary hypertension, 1984: Oct., 715-728
- Cardiovascular disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 614  
structural, presenting as persistent pulmonary hypertension of the newborn, 1984: Oct., 601-625
- Cardiovascular malformations, congenital, in the high-risk infant, 1984: Feb., 199-212
- Cardiovascular system, maternal, adaptations during pregnancy, 1982: Feb., 140-141
- Catch-up growth, in the high-risk infant, 1984: Feb., 20-21, 24-25
- Catecholamines, effect on the pulmonary circulation, 1984: Oct., 556-557  
in pregnancy, influence of sex steroids on, 1983: Oct., 571-572
- Catheters, indwelling, neonatal thrombosis associated with, 1984: June, 462-467
- Cephalhematoma, as birth injury, 1983: June, 489-490

- Cephalopelvic disproportion, in the obese mother, 1983: June, 412, 415-416
- Cerclage, cervical, 1983: June, 321-341
- risks, 1983: June, 328-330
- Cerebral arteriovenous malformation, causing persistent pulmonary hypertension in the newborn, 1984: Oct., 616-617
- Cerebral blood flow, determination of, 1983: Feb., 231-236
- effects of mechanical ventilation on, in infants with persistent pulmonary hypertension, 1984: Oct., 673-680
- Cerebral palsy, in infancy, 1984: Feb., 48-49
- Cervical dilatation, continuous monitoring, 1983: Feb., 250
- Cervical insufficiency, diagnostic tests, 1983: June, 333-334
- recurrent pregnancy loss due to, 1983: June, 325-328
- Cervix, tumors of, during pregnancy, 1983: June, 371-373
- Cesarean section, effect on placental transfusion, 1982: Oct., 570-571
- epidural anesthesia for, 1982: Feb., 70-71
- for breech delivery, anesthesia for, 1982: Feb., 86, 89-90
- in diabetic patient, glucose and insulin therapy for, 1982: Feb., 159-161
- in massively obese mother, 1983: June, 415-419
- in mothers with pregnancy-induced hypertension, anesthetic management, 1982: Feb., 107-109
- postmortem, in trauma victim, 1983: June, 434-435
- prophylactic antibiotics during, 1983: June, 461-471
- vaginal delivery after, 1983: June, 439-453
- Chemoreceptors, fetal cardiac activity and, 1982: June, 326-327
- for multiple delivery, anesthesia for, 1982: Feb., 87-89
- Chlorpromazine, for persistent pulmonary hypertension of the newborn, 1984: Oct., 697
- Chromosomal analysis, fetal blood sampling for, 1983: June, 363
- Chromosomal disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 617
- Circulation, fetal, persistent. *See Persistent pulmonary hypertension of the newborn.*
- Coagulation, disseminated intravascular, 1984: June, 371
- Coagulation abnormalities, fetal blood sampling for, 1983: June, 361-362
- Coagulation factors. *See also specific factor deficiencies, specific assays, 1984: June, 313*
- carrier testing, 1984: June, 330-331
- in neonates, screening tests for, 1984: June, 311-313
- normal values for fetus and neonate, 1984: June, 316-317
- Colloid osmotic pressure, 1982: Oct., 505-521
- in medical practice, 1982: Oct., 517-520
- measurement, 1982: Oct., 511-515
- physiologic significance, 1982: Oct., 516-517
- Combined factors II, VII, IX, and X deficiency, 1984: June, 326-327
- Combined factors V and VIII deficiency, 1984: June, 327
- Communication, nursery-pediatrician, in improving care of high-risk survivors, 1984: Feb., 8-10
- Computers, in neonatal intensive care unit, 1983: Feb., 193, 195-203
- Condyloma acuminatum, 1983: June, 369-370
- Congenital diaphragmatic hernia, persistent pulmonary hypertension and, 1984: Oct., 538-542
- Congenital heart disease, persistent pulmonary hypertension and, 1984: Oct., 537-538
- Connecting peptide immunoreactivity, in diabetic pregnancy, 1983: Oct., 601-602
- Constant positive airway pressure, in infants, deformities related to, 1984: Feb., 217
- Contact factor deficiencies, 1984: June, 325
- Contraception, following midtrimester abortion, 1983: June, 318
- for uteroplacental insufficiency, 1982: June, 265-270
- contraindications, 1982: June, 267
- estriol monitoring, 1982: June, 268
- Contractions, uterine, monitoring, 1983: Feb., 244-248
- Corpus luteum, function, relaxin as marker of, 1983: Oct., 646-647
- steroid measurements in evaluation of, 1983: Oct., 535
- gestational steroids of, 1983: Oct., 528-530
- Corticotropin, human chorionic, 1983: Oct., 678-679
- Corticotropin-like intermediate peptide, in the maturing fetus, 1983: Oct., 543
- Corticotropin-releasing hormone, in the placenta, 1983: Oct., 562
- Cortisol, serum, in diabetic pregnancy, 1983: Oct., 602-604

- Cosmetic defects, in the high-risk infant, 1984: Feb., 213-226
- Costs, of neonatal and obstetric equipment, 1983: Feb., 175-187, 263-279
- Coumarins, for neonatal thrombosis, 1984: June, 477
- Crash carts, 1983: Feb., 192
- Cross-sectional echocardiography, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 603, 637
- Cryotherapy, for acute retinopathy of prematurity, 1984: Feb., 136-137
- Cytomegalovirus infections, congenital hearing loss due to, 1984: Feb., 155  
related to blood transfusion, 1984: June, 406-407
- D-antigens, in Rh disease, 1984: June, 252-254
- Deafness, in the high-risk infant, 1984: Feb., 153-173
- Deformities, physical, in the high-risk infant, 1984: Feb., 213-226
- Delivery, breech, anesthetic considerations, 1982: Feb., 77-87  
anesthetic management, 1982: Feb., 131-132  
cesarean, anesthesia for, 1982: Feb., 86, 89-90  
injuries associated with, 1982: Feb., 78-80  
vaginal, anesthesia for, 1982: Feb., 90-92  
midforceps, neuropsychiatric sequelae, 1983: June, 455-460  
vaginal, after cesarean birth, 1983: June, 439-453
- Delivery rooms, equipment costs, 1983: Feb., 181  
planning, building, and evaluating, 1983: Feb., 144
- Deoxycorticosterone, in pregnancy-induced hypertension, 1983: Oct., 748
- Diabetes, in pregnancy, anesthetic and obstetric management, 1982: Feb., 153-166  
calcium homeostasis and, 1983: Oct., 585  
endocrine and metabolic homeostasis in, 1983: Oct., 593-614  
insulin and diet therapy for, 1982: Feb., 157  
metabolic perturbation, 1982: Feb., 154  
perinatal morbidity, 1982: Feb., 155-157  
White's classification, 1982: Feb., 155-156
- Diagnostic techniques, prenatal. See under specific techniques and disorders.
- Diamond-Blackfan anemia, 1984: June, 423-425
- Diaphragm, paralysis, due to birth trauma, long-term prognosis, 1983: June, 512-513
- Diazepam, for systemic analgesia during labor, 1982: Feb., 41  
effect on neonatal neurobehavior, 1982: Feb., 202
- Diet, in management of diabetic pregnancy, 1982: Feb., 157
- Diethylstilbestrol, effect on reproductive tract, 1983: June, 302-303
- Digitalis, in management of persistent pulmonary hypertension of the newborn, 1984: Oct., 724-725
- Digoxin, for acyanotic congenital heart disease, 1984: Feb., 201
- Dilatation-evacuation, in midtrimester abortion, 1983: June, 313-316
- Diplegia, spastic, anticipated outcome, 1984: Feb., 50
- Discharge planning, in improving care of high-risk survivors, 1984: Feb., 11-12
- Disseminated intravascular coagulation, 1984: June, 371
- Distress, in postdate fetus, 1982: June, 382
- Diuretics, in management of acyanotic congenital heart disease, 1984: Feb., 201-202
- DNA analysis, in intrauterine diagnosis of hemoglobin disorders, 1984: June, 295-303
- Dobutamine, in management of persistent pulmonary hypertension of the newborn, 1984: Oct., 723
- Dopamine, in management of persistent pulmonary hypertension of the newborn, 1984: Oct., 686-687, 718-722  
nursing implications, 1984: Oct., 686-687
- Doppler echocardiography, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 637-638
- Doppler ultrasound technique, for estimating cerebral blood flow, 1983: Feb., 232-236
- Drug(s). See also specific agents.  
effect on fetal heart rate variability, 1982: June, 345-346  
effect on placental transfusion, 1982: Oct., 570-571  
in induction of platelet destruction, 1984: June, 378-379  
in management of short bowel syndrome in the high-risk infant, 1984: Feb., 193  
ototoxic, producing congenital and neonatal deafness, 1984: Feb., 155-157

- Du antigen and antibody testing, 1983: June, 352-353
- Duchenne muscular dystrophy, fetal blood sampling for, 1983: June, 363
- Ductus arteriosus, closure of, effect on pulmonary circulation, 1984: Oct., 584-585
- Dynia factor deficiency, 1984: June, 326
- Dyonics Needlescope, 1983: June, 357-358
- Dysmaturity, in postdate fetus, 1982: June, 382
- Ear, injuries, due to birth trauma, 1983: June, 494-495
- Ebstein's anomaly, presenting as persistent pulmonary hypertension, 1984: Oct., 619-620
- Echocardiography, in diagnosis of persistent pulmonary hypertension, 1984: Oct., 602-603, 634-637
- Eclampsia, anesthetic management, 1982: Feb., 122-126
- Edema, effect on insensible water loss, 1982: Oct., 463
- in the newborn lung, 1982: Oct., 593-611
- Education, in improving care of high-risk survivors, 1984: Feb., 10
- Electroacoustic impedance testing, 1984: Feb., 163-164
- Electrocardiogram, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 603-604, 632
- Electroencephalogram, in scoring system for neonatal seizures, 1984: Feb., 176-179
- Embryo, development, in vitro fertilization, 1983: June, 288-289
- Endocardial cushion defect, in infancy, 1984: Feb., 204
- causing persistent pulmonary hypertension, 1984: Oct., 617-619
- Endocardial fibroelastosis, causing persistent pulmonary hypertension of the newborn, 1984: Oct., 610-612
- Endocrine disorders, recurrent pregnancy loss due to, 1983: June, 325
- Endocrine testing, principles of, 1983: Oct., 763-765
- Endocrinology, perinatal, symposium on, 1983: Oct., 525-776
- Endometrium, endocrinology of, during gestation, 1983: Oct., 630-636
- in nonfertile cycles, 1983: Oct., 627-630
- morphometry, 1983: Oct., 531-532
- steroid receptor interactions, 1983: Oct., 530-531
- Enterocolitis, necrotizing, 1984: June, 373
- Enzyme induction, in treatment of hyperbilirubinemia, 1984: June, 341
- Epidermolysis bullosa dystrophica, fetal skin sampling for, 1983: June, 365
- Epidermolysis bullosa letalis, fetal skin sampling for, 1983: June, 365
- Epidural anesthesia. See *Anesthesia, epidural*.
- Epinephrine, added to local anesthetics, 1982: Feb., 20-21, 69
- Equipment, for neonatal monitoring, 1983: Feb., 189-194
- neonatal and obstetric, costs, 1983: Feb., 175-187 263-279
- Erythropoietin levels, in the premature infant, anemia and, 1984: Feb., 59-60
- Escherichia coli*, effects on the pulmonary circulation, 1984: Oct., 596-597
- Estetrol, in assessment of pregnancy, 1983: Oct., 772
- Estradiol, maternal concentrations during early pregnancy, 1983: Oct., 534
- Estriol, in assessment of pregnancy, 1983: Oct., 769-772
- maternal concentrations during early pregnancy, 1983: Oct., 534
- monitoring, with contraction stress testing, 1982: June, 268
- Estriol values, relation to fetal movement, 1982: June, 245
- Estrogen, effect of pregnancy-induced hypertension on, 1983: Oct., 749-753
- in modulation of uterine blood flow, 1983: Oct., 567-570
- Evoked response audiometry, 1984: Feb., 164-167
- Exchange transfusion, in treatment of hyperbilirubinemia, 1984: June, 344-351
- Excorporeal membrane oxygenators, in persistent pulmonary hypertension of the newborn, 1984: Oct., 729-735
- future research directions, 1984: Oct., 751
- Eye injuries, from birth trauma, 1983: June, 492-493
- severe, from birth trauma, long-term prognosis, 1983: June, 516-518
- Facial palsy, due to birth injury, 1983: June, 493
- Factor II deficiency, 1984: June, 321-322
- Factor V deficiency, 1984: June, 319-320
- Factor V and VIII deficiency, 1984: June, 327
- Factors II, VII, IX, and X deficiency, 1984: June, 326-327
- Factor VII deficiency, 1984: June, 322-323.
- See also *Hemophilia*.
- Factor IX deficiency, 1984: June, 317-328
- Factor X deficiency, 1984: June, 320-321



- Factor XII deficiency, 1984: June, 319
- Factor XII screening, in detecting cause of bleeding disorders in neonates, 1984: June, 312
- Fallopian tube, tumors of, during pregnancy, 1983: June, 375-378
- Families, of high-risk infants, emotional considerations, 1984: Feb., 234-241
- of infants with persistent pulmonary hypertension, care of, 1984: Oct., 688-690
- support of, in improving care of high-risk survivors, 1984: Feb., 10
- Fanconi's anemia, 1984: June, 377, 420-422
- Fertility, effect of midtrimester abortion on, 1983: June, 318
- Fertilization, in vitro, 1983: June, 285-294
- Fentanyl, for systemic analgesia during labor, 1982: Feb., 40
- Fetal biophysical profile scoring, 1982: June, 285-296
- advantages and limitations, 1982: June, 294-295
- Fetal blood sampling, for hemoglobin disorders, 1984: June, 291-295
- indications, 1983: June, 360-363
- Fetal breathing movements, assessment, 1983: Feb., 249
- Fetal circulation, 1984: Oct., 551-553
- persistent. See *Persistent pulmonary hypertension of the newborn*.
- Fetal heart rate, accelerations, 1982: June, 331-332
- autonomic control, 1982: June, 325-326
- baseline shifts, hypoxia and, 1982: June, 320-321
- correlation with scalp blood and cord acid-base values, 1982: June, 356-360
- early decelerations, 1982: June, 328
- effects of epidural anesthesia, 1982: Feb., 55-62
- hypoxic, 1982: June, 313-324
- intrauterine behavioral states and, 1982: June, 434-436
- late decelerations, hypoxia and, 1982: June, 315-317
- reflex component, 1982: June, 335
- Fetal heart monitors, 1983: Feb., 238-244
- effect of epidural anesthesia on, 1982: Feb., 55-62
- prolonged deceleration, hypoxia and, 1982: June, 319
- reflex, alterations, 1982: June, 325-337
- relation to fetal movement, 1982: June, 242-245
- sinusoidal pattern, hypoxia and, 1982: June, 319
- variability, 1982: June, 328-331, 339-352
- causes, 1982: June, 340-342
- clinical assessment, 1982: June, 346-347
- hypoxia and, 1982: June, 317-319
- increased, 1982: June, 334-335
- Fetal monitoring, advantages and disadvantages, 1982: June, 399-407
- current status, 1982: June, 409-422
- during labor, 1982: June, 372-373
- electronic, 1983: Feb., 237-252
- future of, 1982: June, 433-441
- in the burned pregnant patient, 1983: June, 395-396
- symposium on, 1982: June, 231-450
- Fetal oxygen monitoring, current status, 1982: June, 423-431
- Fetal scalp blood sampling, 1982: June, 353-361
- Fetal scalp platelet sampling, 1984: June, 366
- using TpH electrode, 1982: June, 409-422
- Fetal skin sampling, indications, 1983: June, 364-366
- Fetal surgery, 1983: June, 399-410
- Fetal visualization, fetoscopy for, 1983: June, 364
- Fetoplacental blood volume, perinatal redistribution, 1982: Oct., 559-592
- Fetoplacental unit, endocrine and metabolic physiology, 1983: Oct., 669-693
- Fetoscopy, 1983: June, 357-367
- risks, 1983: June, 360
- Fetus, abnormalities in, as consideration in midtrimester abortion, 1983: June, 308
- adrenal gland of, 1983: Oct., 680-681
- asphyxia in, related to nonobstetric surgery, 1982: Feb., 146-147
- beta-endorphin and ACTH in plasma of, 1983: Oct., 658-660
- calcium homeostasis, endocrine regulation, 1983: Oct., 580-582
- cardiovascular development, 1982: Feb., 177-178
- distress, monitoring, in diabetic pregnancy, 1982: Feb., 157-158
- effect of epidural anesthesia on, 1982: Feb., 67-69
- exposure to anesthesia, during nonobstetric surgery, 1982: Feb., 144-146
- growth, assessment, 1982: June, 271-284
- metabolic homeostasis and, 1983: Oct., 605-610
- retardation, 1982: June, 271-279
- heart, autonomic control, 1982: June, 325-326
- heart rate, effect of epidural anesthesia on, 1982: Feb., 55-62
- hyperactivity, 1982: June, 239-239
- intrauterine transfusion of, for Rh disease, 1984: June, 159-262
- low birth weight, delivery, 1982: June, 374-376
- monitoring, 1982: June, 363-380
- lung, development, 1982: June, 298-301
- accelerating, 1982: June, 368-370
- testing, 1982: June, 305-309

- macrosomic, 1982: June, 280-282  
 maturing, steroid hormones in, 1983: Oct., 535-544  
 maturity, determining, 1982: June, 297-312  
 monitoring, symposium on, 1982: June, 229-450  
 movement, classification, 1982: June, 234-236  
   monitoring, 1982: June, 231-252  
     in high-risk pregnancies, 1982: June, 240-248  
   relation to estriol values, 1982: June, 245  
   relation to gestational age, 1982: June, 236  
   relation to heart rate, 1982: June, 242-245  
   relation to time of day, 1982: June, 237  
 outcome, in mothers with uterine malformations, 1983: June, 300  
 pituitary, beta-endorphin in, 1983: Oct., 660-662  
 postdate, monitoring, 1982: June, 381-386  
 presentation, breech, anesthesia for, 1982: Feb., 77-87, 131-132  
   injuries associated with, 1982: Feb., 77-78  
 respiratory development, 1982: Feb., 178-179  
 response to hypoxia, 1982: June, 314-315  
 rest periods, 1982: June, 237-238  
 thyroid function of, 1983: Oct., 619-624  
 thyroid gland of, 1983: Oct. 686-688  
 weight, estimating, 1982: June, 365-367  
 well-being, endocrine assessments, 1983: Oct., 763-776  
 Fiberoptic technique, for measuring intracranial pressure, 1983: Feb., 225  
 Fibrin degradation products, in detecting cause of bleeding disorders in neonates, 1984: June, 312  
 Fibrinogen deficiency, 1984: June, 323-324  
 Fick's law, in insensible water loss, 1982: Oct., 453-455  
 Fluid and electrolytes. *See also Fluid balance.*  
   in low-birth-weight infants, 1982: Oct., 637-643  
   renal control, 1982: Oct., 523-533  
   symposium on, 1982: Oct., 453-657  
   in the newborn lung, 1982: Oct., 597  
 Folic acid deficiency, in mother and neonate, 1984: June, 433-459  
 Follicle-stimulating hormone, postpartum levels, 1983: Oct., 725-726  
 Fractures, facial and mandibular, due to birth trauma, 1983: June, 493-494  
   of spine and pelvis, during pregnancy, 1983: June, 433-434  
 French angles method, of neurologic assessment, 1984: Feb., 44  
 Fungal infection, congenital, neurologic manifestations of, 1981: Oct., 456  
 Furosemide, as diuretic, 1982: Oct., 549-550  
   for bronchopulmonary dysplasia, 1984: Feb., 108-109  
 Gas exchange, neonatal ventilators and, 1983: Feb., 205-208  
 Gastroesophageal reflux, apnea and, 1984: Feb., 92-93  
 Gastrointestinal system, disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 616  
   in treatment of hyperbilirubinemia, 1984: June, 342-343  
   maternal adaptations during pregnancy, 1982: Feb., 141-143  
 Gastroschisis, perinatal management, 1983: June, 403  
 Gene mapping, in intrauterine diagnosis of hemoglobin disorders, 1984: June, 295-298  
 Genetic counseling, in prenatal diagnosis of hemoglobin disorders, 1984: June, 289-290  
 Genetic disorders, recurrent pregnancy loss due to, 1983: June, 324  
 Gestation, length, determining, 1982: June, 365-367  
   multiple, anesthetic management, 1982: Feb., 131-132  
 Gestational age, effect on insensible water loss, 1982: Oct., 458-460  
   size for, effect on insensible water loss, 1982: Oct., 460  
 Gestational disorders, associated with non-immune hydrops fetalis, 1982: Oct., 618-620  
 Gibbs-Donnan equilibrium, for colloid-osmotic pressure, 1982: Oct., 507-511  
 Glaucoma, due to cicatricial retrolental fibroplasia, 1984: Feb., 140  
 Glomerular filtration rate, autoregulation of, for sodium in newborn, 1982: Oct., 551  
   in newborn, 1982: Oct., 524-525  
 Glomerulotubular balance, of sodium, in neonates, 1982: Oct., 550-551  
 Glucagon, immunoreactive, in diabetic pregnancy, 1983: Oct., 602  
 Glycogen storage disease, type II, presenting as persistent pulmonary hypertension, 1984: Oct., 612-615  
 Glycoprotein, SP<sub>1</sub>, in assessment of pregnancy, 1983: Oct., 766-767  
 Gonad, fetal, 1983: Oct., 680-681

- Gonadotropin, human chorionic, 1983: Oct., 672-675  
 in assessment of pregnancy, 1983: Oct., 765-766  
 in the fetoplacental unit, 1983: Oct., 680-681
- Gram-negative organisms, effects on the pulmonary circulation, 1984: Oct., 596-597
- Granulomatous disease, chronic, fetal blood sampling for, 1983: June, 362
- Growth, head, in high-risk infants, neurologic sequelae and, 1984: Feb., 29-31  
 in infants with continuing compromise, 1984: Feb., 31-34  
 in the high-risk infant, 1984: Feb., 19-40  
 office assessment, 1984: Feb., 34-37  
 in the infant with short bowel syndrome, 1984: Feb., 195  
 intrauterine, deficient, 1984: Feb., 27-29  
 neonatal, effect on hemoglobin levels, 1984: June, 496  
 of fetus, assessment, 1982: June, 271-284
- Gut, short, in the high-risk infant, 1984: Feb., 189-197
- Harlequin ichthyosis, fetal skin sampling for, 1983: June, 364-365
- Hearing evaluation, of the high-risk infant, 1984: Feb., 153-173
- Heart disease, congenital, in the high-risk infant, 1984: Feb., 14, 199-212  
 acyanotic, 1984: Feb., 200-206  
 cyanotic, 1984: Feb., 206-212  
 persistent pulmonary hypertension and, 1984: Oct., 537-538
- Heart rate, fetal. See *Fetal heart rate*.
- Heat shielding, for infants under radiant warmers, 1982: Oct., 492-498
- Hematologic disorders, associated with non-immune hydrops fetalis, 1982: Oct., 614
- Hematopoiesis, failure of, congenital, in neonate, 1984: June, 417-431
- Hemangioma, giant, consumptive coagulopathy due to, 1984: June, 372
- Hemiparesis, spastic, anticipated outcome, 1984: Feb., 50
- Hemoglobin, abnormal, 1984: June, 285
- Hemoglobin disorders, 1984: June, 285-288  
 fetal blood sampling for, 1983: June, 360-361  
 intrauterine diagnosis, 1984: June, 283-308
- Hemoglobin genes, normal, 1984: June, 283-285
- Hemoglobin S, rationale for intrauterine diagnosis, 1984: June, 288
- Hemophilia, AIDS associated with, 1984: June, 330
- Hemorrhage, following blood transfusion, 1984: June, 410-411  
 intracranial, as birth injury, 1983: June, 491  
 obstetric, anesthesia for, 1982: Feb., 117  
 postpartum, anesthetic considerations, 1982: Feb., 121-122  
 subgaleal, as birth injury, 1983: June, 490
- Hemorrhagic disorders, in neonates, 1984: June, 309-317
- Hemostasis, role of platelets in, 1984: June, 359-361
- Heparin, for neonatal thrombosis, 1984: June, 476-477
- Hepatic disorders, associated with non-immune hydrops fetalis, 1982: Oct., 616
- Hepatitis, post-transfusion, 1984: June, 329, 405-406
- Heritable disorders, associated with non-immune hydrops fetalis, 1982: Oct., 617
- Hernia, diaphragmatic, congenital, persistent pulmonary hypertension and, 1984: Oct., 538-542
- Herpes virus, congenital hearing loss due to, 1984: Feb., 155
- High-risk diagnostic unit, planning and building, 1983: Feb., 13-14
- High-risk infant, continuing care of, 1984: Feb., 3-244
- Histamine, effects on the pulmonary circulation, 1984: Oct., 557
- Home monitoring, for apnea, in the high-risk infant, 1984: Feb., 15, 85-100
- Home monitoring devices, 1984: Feb., 97-98
- Homeorrhexis, in the high-risk infant, 1984: Feb., 25
- Hormone(s), hypothalamic-like releasing, of the placenta, 1983: Oct., 553-566  
 peptide, effect of pregnancy-induced hypertension on, 1983: Oct., 753-754  
 polypeptide, 672-681  
 protein, effect of pregnancy-induced hypertension on, 1983: Oct., 753-754  
 steroid, gestational changes in, 1983: Oct., 527-552
- Hormone-renal interaction, in body fluid regulation in newborn infant, 1982: Oct., 535-557
- Human chorionic corticotropin, 1983: Oct., 678-679
- Human chorionic gonadotropin, 1983: Oct., 672-675  
 in assessment of pregnancy, 1983: Oct., 765-766
- Human chorionic gonadotropin releasing hormone, in the placenta, 1983: Oct., 555-559

- Human chorionic somatomammotropin, 1983: Oct., 675-678
- Humoral agents, effects on the pulmonary circulation, 1984: Oct., 556-560
- Hydrocephaly, fetal, perinatal management, 1983: June, 401-402
- Hydrops fetalis, in utero diagnosis, 1982: Oct., 627-636  
nonimmune, conditions associated with, 1982: Oct., 613-625  
perinatal management, 1983: June, 402
- 17 $\alpha$ -Hydroxyprogesterone, maternal concentrations in early pregnancy, 1983: Oct., 534
- Hyperbilirubinemia, 1984: June, 339-357
- Hyperkeratosis, epidermolytic, fetal skin sampling for, 1983: June, 365
- Hypersplenism, thrombocytopenia due to, 1984: June, 379
- Hypertension, persistent pulmonary of the newborn. See *Persistent pulmonary hypertension of the newborn*.  
pregnancy-induced, anesthesia for, 1982: Feb., 95-111, 122-126  
cardiovascular resuscitation, 1982: Feb., 102-103  
classification and diagnosis, 1982: Feb., 97-98  
endocrinology of, 1983: Oct., 737-761  
pathophysiology, 1982: Feb., 98-100  
preventing convulsions, 1982: Feb., 100-101  
preventing intracranial hemorrhage, 1982: Feb., 101-102  
termination of pregnancy, 1982: Feb., 103-104
- Hyperventilation, mechanical. See *Ventilation, mechanical*.
- Hypothalamic-like releasing hormones of the placenta, 1983: Oct., 553-566
- Hypothalamic-pituitary-ovarian axis, in the puerperium, 1983: Oct., 728-730
- Hypotonia, in the high-risk infant, 1984: Feb., 46-47  
anticipated outcome, 1984: Feb., 50
- Hypoxemia, effect on the pulmonary circulation, 1984: Oct., 555-556
- Hypoplastic left heart syndrome, causing persistent pulmonary hypertension, 1984: Oct., 610
- Hypoxia, effects of, 1982: June, 313-314  
on cerebral blood flow, 1984: Oct., 676  
on fetal heart rate variability, 1982: June, 343-345  
fetal heart rate patterns associated with, 1982: June, 313-324  
response of fetus, 1982: June, 314-315
- Hypoxia, thrombocytopenia associated with, 1984: June, 379
- Iatrogenic factors, in development if anemia in the premature infant, 1984: Feb., 63-64
- Ichthyosis, harlequin, fetal skin sampling for, 1983: June, 364-365
- Immune response, suppression of, for Rh immunization, 1984: June, 263-264
- Immune thrombocytopenia, 1984: June, 364
- Immunization, of premature infants, 1984: Feb., 13, 73-84
- Immunologic disorders, recurrent pregnancy loss due to, 1983: June, 325
- Incubators, descriptions and prices, 1983: Feb., 263-264  
double-walled, effect of insensible water loss, 1982: Oct., 466  
transport, descriptions and prices, 1983: Feb., 265
- Indomethacin, effects on pulmonary circulation, 1984: Oct., 568-569, 582-587
- Infant. See *Neonate* and under specific disorders and procedures.
- Infection, congenital, associated with nonimmune hydrops fetalis, 1982: Oct., 617-618  
due to burns, in pregnant patient, 1983: June, 389-390  
platelet destruction due to, 1984: June, 374-375  
transmitted by blood components, 1984: June, 404-408
- Infertility, disordered endometrial receptors and, 1983: Oct., 532  
tubal, in vitro fertilization and, 1983: June, 286-287
- Infusion controllers and pumps, 1983: Feb., 192
- Infusion pumps, descriptions and prices, 1983: Feb., 275-278
- Insensible water loss, in newborn, 1981: June, 246, 254; 1982: Oct., 453-482  
radiant warmers and, 1982: Oct., 472, 475, 483-503
- Inspired oxygen concentration monitors, descriptions and prices, 1983: Feb., 274
- Insulin, in management of diabetic pregnancy, 1982: Feb., 157
- Intensive care unit, neonatal. See *Neonatal intensive care unit*.
- Intestinal resection, in the high-risk infant, 1984: Feb., 189-197
- Intracranial monitoring, in neonatal intensive care, 1983: Feb., 223-236
- Intracranial pressure, noninvasive determination of, 1983: Feb., 225-231
- Intrauterine fetal transfusion, for Rh disease, 1984: June, 259-262
- Intrauterine growth retardation, 1984: Feb., 27-29

- Intrauterine growth retardation, (*Continued*)  
 effect on placental transfusion, 1982: Oct., 575
- Invasive monitoring, of labor, 1982: Feb., 8-10
- In vitro fertilization, 1983: June, 285-294
- Isoproterenol, in management of persistent pulmonary hypertension of the newborn, 1984: Oct., 697, 723-724
- Jaundice, in breast-fed infants, 1984: June, 352-355
- Ketamine, for systemic analgesia during labor, 1982: Feb., 41
- Kidney. See also *Renal*.  
 newborn, concentrating capacity, 1982: Oct., 527, 528, 546-547  
 diluting capacity, 1982: Oct., 528, 546-547  
 prostaglandins and, 1982: Oct., 543-544  
 sodium and water transport in, 1982: Oct., 535-536
- Kostmann's syndrome, 1984: June, 425-426
- Labor, abnormalities, in the obese mother, 1983: June, 412-414  
 analgesia during, 1982: June, 373-374  
 and delivery. See also *Parturition* and *Delivery*.  
 asphyxia in, 1982: June, 313-314  
 fetal monitoring during, 1982: June, 372-373  
 in diabetic patient, glucose and insulin therapy during, 1982: Feb., 159-161  
 invasive monitoring, 1982: Feb., 8-10  
 pain relief, 1982: Feb., 6-8  
 positioning of parturient, 1982: Feb., 3-6  
 pregnancy-induced hypertension and, anesthetic management, 1982: Feb., 104-106  
 premature, anesthetic management, 1982: Feb., 126-131  
 causes, 1982: June, 363-364  
 effect on fetus, 1982: June, 370-371  
 inhibition, 1982: June, 367-368  
 resulting from nonobstructive surgery, 1982: Feb., 147-150  
 systemic analgesia during, 1982: Feb., 29-53
- Laboratory, perinatal, planning, building, and evaluating, 1983: Feb., 145
- Labor-delivery-recovery room, equipment costs, 1983: Feb., 183-186  
 planning, building, and evaluating, 1983: Feb., 16-19, 49-59
- Labor-delivery rooms, planning, building, and evaluating, 1983: Feb., 97-98, 114-115
- Labor rooms, equipment costs, 1983: Feb., 181  
 planning, building, and evaluating, 1983: Feb., 143-144
- Labor trial, in woman with prior cesarean section, 1983: June, 440-445
- Lactation, in midtrimester abortion, 1983: June, 318-319
- Lactogen, human placental, in assessment of pregnancy, 1983: Oct., 766-767
- Laminaria tents, in midtrimester abortion, 1983: June, 311
- Lecithin-sphingomyelin ratio, for testing fetal pulmonary maturity, 1982: June, 305-306
- Left ventricular dysfunction, persistent pulmonary hypertension of the newborn and, 1984: Oct., 630
- Left ventricular outflow, obstructions to, beyond the mitral valve, causing persistent pulmonary hypertension of the newborn, 1984: Oct., 615
- Leg cramps, in pregnancy, due to serum calcium imbalance, 1983: Oct., 586
- Leiomyoma, of uterus, during pregnancy, 1983: June, 373-375
- Leukemia, congenital, thrombocytopenia associated with, 1984: June, 378
- Leukotrienes, effects on the pulmonary circulation, 1984: Oct., 559-560  
 for persistent pulmonary hypertension of the newborn, 1984: Oct., 574-575  
 future research directions, 1984: Oct., 747-748
- Living-in nursery, 1983: Feb., 120
- Lung, fetal, development, 1982: June, 298-301  
 injury to, from mechanical ventilation, in infants with persistent pulmonary hypertension, 1984: Oct., 653-666  
 newborn, edema formation in, 1982: Oct., 593-611  
 fluid balance in, 1982: Oct., 597-598
- Lung scanning, in diagnosis of neonatal thrombosis, 1984: June, 475
- Luteinizing hormone, maternal, postpartum levels, 1983: Oct., 725-726
- Macrosomia, effect on placental transfusion, 1982: Oct., 575  
 in postdate fetus, 1982: June, 382

- Malformations, due to folate deficiency in pregnancy, 1984: June, 443
- Mannitol, in newborn, 1982: Oct., 550  
in treatment of intracranial pressure, 1983: Feb., 229-231
- Maternal perception, in monitoring fetal movement, 1982: June, 231-232
- Mechanical ventilation. *See Ventilation, mechanical.*
- Meconium aspiration, in postdate fetus, 1982: June, 382  
persistent pulmonary hypertension as complication, 1984: Oct., 536-537  
treatment, 1982: Feb., 188-189
- $\alpha$ -Melanocyte stimulating hormone, in the maturing fetus, 1983: Oct., 543
- Meperidine, effects on fetal acid-base balance, 1982: Feb., 44-45  
effects on neonatal respiration, 1982: Feb., 45-47  
effects on uterine activity, 1982: Feb., 43-44  
for systemic analgesia during labor, 1982: Feb., 34-39
- Metabolic disorders, fetal blood sampling for, 1983: June, 363
- Microcentrifuge, 1983: Feb., 192
- Microcephaly, amegakaryocytic thrombocytopenia with, 1984: June, 376
- Midforceps delivery, neuropsychiatric sequelae, 1983: June, 455-460
- Midtrimester abortion, 1983: June, 305-320
- Milani-Comparetti and Gidoni method, of neurologic assessment, 1984: Feb., 43-44
- M-mode echocardiography, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 602, 634-637
- Monitoring. *See Fetal Monitoring.*
- Monitors. *See also specific type, e.g., Blood pressure monitors.*  
fetal, electronic, 1983: Feb., 237-252  
intracranial, in neonatal intensive care, 1983: Feb., 223-236  
neonatal, 1983: Feb., 189-194
- Monoparesis, of infancy, anticipated outcome, 1984: Feb., 50
- Morphine, for systemic analgesia during labor, 1982: Feb., 40
- Motor dysfunction, of infancy, 1984: Feb., 49
- Müllerian malformations, effect on future pregnancies, 1983: June, 295-304, 324
- Myopathic left ventricular disease, causing persistent pulmonary hypertension, 1984: Oct., 610-615
- Myopia, due to a cicatricial retrolental fibroplasia, 1984: Feb., 138
- Naloxone, as narcotic antagonist in obstetrics, 1982: Feb., 204  
effect on neonatal neurobehavior, 1982: Feb., 205
- Narcotics, obstetric, effect on neonatal neurobehavior, 1982: Feb., 202-204  
epidural, 1982: Feb., 170-172  
effect on neonatal neurobehavior, 1982: Feb., 206  
for postoperative analgesia, 1982: Feb., 173-174  
intraplasmal, 1982: Feb., 167-175  
side effects, 1982: Feb., 172  
intrathecal, 1982: Feb., 168-170  
side effects, 1982: Feb., 172  
subarachnoid, effect on neonatal neurobehavior, 1982: Feb., 206
- Nasal injuries, due to birth trauma, long-term prognosis, 1983: June, 518
- Nasotracheal intubation, in infants, deformities related to, 1984: Feb., 215-216
- Neck injuries, due to birth trauma, 1983: June, 495-498
- Necrotizing enterocolitis, 1984: June, 373
- Neonatal intensive care unit, computers in, 1983: Feb., 125, 195-203  
costs per admission, data on, 1983: Feb., 40-42  
equipment costs, 1983: Feb., 175-187  
facilities and design, data on, 1983: Feb., 37-39  
planning, building, and evaluating, 1983: Feb., 23-29, 63-69, 91-92, 99-101, 111-112, 118-120, 127-140, 153-165  
staffing, data on, 1983: Feb., 36-37  
transport services, data on, 1983: Feb., 39-40  
typical, 1983: Feb., 32-35
- Neonatal monitoring equipment, 1983: Feb., 189-194
- Neonatal respirators, 1983: Feb., 205-221  
descriptions and prices, 1983: Feb., 271-274
- Neonate. *See also under specific disorders and procedures.*
- Neonate(s), anemia in, assessment of, 1984: June, 489-510  
asphyctic, 1983: June, 473-486  
body water homeostasis in, 1982: Oct., 453-657  
calcium homeostasis in, endocrine regulation, 1983: Oct., 582-583  
depression, causes, 1982: Feb., 181-182  
effect of obstetric anesthesia on, 1982: Feb., 67-69, 198-202, 206  
failure of hematopoiesis of, 1984: June, 417-431  
fluid balance in, symposium on, 1982: Oct., 453-657

Neonate(s), (*Continued*)

- folate metabolism in, 1984: June, 446-447
- high-risk, continuing care of, 1984: Feb., 3-244
- physician readiness for, 1984: Feb., 3-17
- inherited bleeding disorders in, 1984: June, 309-317
- insensible water loss in, 1982: Oct., 453-482
- kidney. See *Kidney, newborn*.
- low-birth-weight, fluid and electrolyte therapy in, 1982: Oct., 637-643
- neurobehavior, effect of obstetric anesthesia, 1982: Feb., 191-214
- significance of alterations, 1982: Feb., 208-211
- persistent pulmonary hypertension of, symposium on, 1984: Oct., 515-575
- premature, placental transfusion in, 1982: Oct., 574
- pulmonary edema in, 1982: Oct., 606
- pulmonary edema in, 1982: Oct., 593-611
- resuscitation, 1982: Feb., 177-190
- drugs used in, 1982: Feb., 186-187
- equipment, 1982: Feb., 186
- technique, 1982: Feb., 182
- shock in, 1982: Feb., 187-188
- thermoregulation, 1982: Feb., 179-181
- thrombocytopenia in, 1984: June, 359-391
- thrombotic disease in, 1984: June, 461-488
- TpH monitoring in, 1982: June, 420-421
- traumatized, immediate management, 1983: June, 487-505
- long-term prognosis, 1983: June, 507-520
- very-low-birth weight, under radiant warmer, insensible water loss in, 1982: Oct., 490-492
- vitamin B<sub>12</sub> deficiency in, 1984: June, 450-451
- vitamin E deficiency anemia in, 1984: June, 393-402
- Neoplasms, congenital, associated with non-immune hydrops fetalis, 1982: Oct., 616
- Neural tube defect, due to folate deficiency in pregnancy, 1984: June, 443-445
- Neurobehavior, of neonate, effect of obstetric anesthesia, 1982: Feb., 191-214
- Neurohypophyseal system, maternal-fetal, 1983: Oct., 695-707
- Neurologic abnormalities, identifying infants at risk for, 1984: Feb., 53-56
- in infancy, correlation with later abnormalities, 1984: Feb., 51-53
- Neurologic assessment, of the high-risk infant, personnel and methods, 1984: Feb., 42-45
- Neurologic development, of the high-risk infant, 1984: Feb., 13, 41-58
- of infants with bronchopulmonary dysplasia, 1984: Feb., 111-112
- of the infant with short bowel syndrome, 1984: Feb., 195
- Neutropenia, severe congenital, 1984: June, 425-426
- NICU. See *Neonatal intensive care unit*.
- Nitroprusside, for persistent pulmonary hypertension of the newborn, 1984: Oct., 696-697
- Nonstress test, fetal, 1982: June, 253-263
- frequency, 1982: June, 257-258
- indications, 1982: June, 256-257
- instrumentation, 1982: June, 256
- predictive value, 1982: June, 257
- Nuclear medicine procedures, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 633-634
- Nurseries, equipment for, 1983: Feb., 263-279
- planning, building, and evaluating, 1983: Feb., 19-22, 61-72
- Nurses, home-visiting, in care of high-risk survivors, 1984: Feb., 10-11
- Nursing care, for the infant with persistent pulmonary hypertension, 1984: Oct., 651-692
- Nutrition, effect on anemia in premature infant, 1984: Feb., 61-63
- in burned pregnant patient, 1983: June, 390
- in follow-up of bronchopulmonary dysplasia, 1984: Feb., 110-111
- in management of short bowel syndrome in the high-risk infant, 1984: Feb., 192-193
- postpartum, effect on insensible water loss, 1982: Oct., 462
- Obese pregnant patient, surgery for, 1983: June, 411-421
- Obstetrics, anesthesia and analgesia in, symposium on, 1982: Feb., 1-227
- operative, symposium on, 1983: June, 283-523
- ultrasound in, 1983: Feb., 253-261
- Obstetrics unit, equipment costs, 1983: Feb., 175-187
- planning, building, and evaluating, 1983: Feb., 14-19, 73-86, 112-114, 141-151, 167-173
- typical, 1983: Feb., 42-46
- Oligohydramnios, in postdate fetus, 1982: June, 382
- pulmonary hypoplasia and, 1984: Oct., 542

- Omphalocele, perinatal management, 1983: June, 403
- Oocyte recovery, in in vitro fertilization, 1983: June, 287
- Operating-delivery room, planning, building, and evaluating, 1983: Feb., 115-116
- Orotracheal intubation, in infants, deformities related to, 1984: Feb., 216-217
- Orthopedic injuries, due to birth trauma, 1983: June, 501-502
- Ovary, tumors of, during pregnancy, 1983: June, 376-378
- Oximetry, for diagnosis of persistent pulmonary hypertension, 1984: Oct., 602
- Oxygen, analyzers and controllers, 1983: Feb., 192  
in pathogenesis of retinopathy of prematurity, 1984: Feb., 124-127  
maternal administration, effect on fetus, 1982: June, 426-430  
monitoring, fetal, 1982: June, 423-431  
transport to fetus, 1982: June, 314
- Oxygenation, extracorporeal membrane, for persistent pulmonary hypertension of the newborn, 1984: Oct., 729-735
- Oxygen tension, effect on the pulmonary circulation, 1984: Oct., 555-556
- Oxygen toxicity, from mechanical ventilation, in infants with persistent pulmonary hypertension, 1984: Oct., 653-672
- Oxytocin, in midtrimester abortion, 1983: June, 311  
in the puerperium, 1983: Oct., 730-731  
secretion and control, 1983: Oct., 697-699
- Pain, pathways and perception, 1982: Feb., 29-30  
relief of during labor, 1982: Feb., 6-8
- Palsy, cerebral, in infancy, 1984: Feb., 48-49
- Pancuronium, for persistent pulmonary hypertension of the newborn, nursing implications, 1984: Oct., 686-687
- Parathyroid diseases, in pregnancy, calcium homeostasis and, 1983: Oct., 584-585
- Parents, of infants with neurologic abnormalities, discussion with, 1984: Feb., 47-48  
of infants with persistent pulmonary hypertension, care of, 1984: Oct., 688-690  
of premature infants, emotional considerations, 1984: Feb., 15, 234-241
- Partial thromboplastin time (PTT), for detecting coagulation factor deficiencies in neonates, 1984: June, 312
- Parturition, endocrine regulation of, 1983: Oct., 709-721  
steroid hormones in, 1983: Oct., 545-548
- Patent ductus arteriosus, in infants, 1984: Feb., 203
- Patient flow, in a perinatal center, 1983: Feb., 122-124
- Pediatricians, readiness to handle problems of high-risk infants, 1984: Feb., 3-17
- Perinatal center. See also *Neonatal intensive care unit; Nurseries, Obstetrics unit.*  
building, 1983: Feb., 9-30  
innovative planning of, symposium on 1983: Feb., 3-279  
planning, 1983: Feb., 3-8  
planning, building and evaluating, 1983: Feb., 87-94, 95-108, 109-126  
typical, 1983: Feb., 31-47
- Persistent pulmonary hypertension of the newborn, cardiotoxic therapy for, 1984: Oct., 715-728  
clinical profile of, 1984: Oct., 628-630  
developmental follow-up, 1984: Oct., 737-744  
extracorporeal membrane oxygenators in, 1984: Oct., 729-735  
future research directions, 1984: Oct., 745-755  
idiopathic, 1984: Oct., 533-536  
inhibition of prostaglandin synthesis in, 1984: Oct., 581-589  
mechanical ventilation for, 1984: Oct., 641-652  
noninvasive assessment of, 1984: Oct., 627-640  
nursing care for, 1984: Oct., 681-692  
pathophysiology, classification, and etiology, 1984: Oct., 517-524  
structural basis, 1984: Oct., 525-549  
structural cardiovascular abnormalities presenting as, 1984: Oct., 601-605  
symposium on, 1984: Oct., 515-755
- Pfannenstiel incision, vs. midline, in massively obese mothers, 1983: June, 417-418
- pH monitoring, 1983: Feb., 191
- Phosphatidylglycerol analysis, for testing fetal pulmonary maturity, 1982: June, 306-308
- Phototherapy, effect on insensible water loss, 1982: Oct., 466  
in treatment of hyperbilirubinemia, 1984: June, 343-344
- Phototherapy equipment, 1983: Feb., 192  
descriptions and prices, 1983: Feb., 278-279
- Placenta, abruptions, anesthetic considerations, 1982: Feb., 119-121



Placenta (*Continued*)

- as a neuroendocrine organ, 1983: Oct., 597-600
- beta-endorphin in, 1983: Oct., 662-663
- calcium transfer in, endocrine regulation, 1983: Oct., 580
- disorders of, associated with nonimmune hydrops fetalis, 1982: Oct., 618
- hypothalamic-like releasing hormones of, 1983: Oct., 553-566
- in maintenance and regulation of the fetal zone, 1983: Oct., 543
- well-being, endocrine assessments, 1983: Oct., 763-766
- Placental transfusion, 1982: Oct., 550-592
  - effects of, 1982: Oct., 575-585
  - physiologic determinants, 1982: Oct., 565-569
- Placenta previa, anesthetic management, 1982: Feb., 117-119
- Plasmapheresis, for Rh immunization, 1984: June, 264
- Platelets, count, in detecting cause of bleeding disorders in neonates, 1984: June, 312
  - destruction, drug-induced, 1984: June, 379
  - role in hemostasis, 1984: June, 359-361
- Plethysmography, in diagnosis of neonatal thrombosis, 1984: June, 475
- Polycythemia, congenital, associated with thrombocytopenia, 1984: June, 373
- Pompe's disease, causing persistent pulmonary hypertension of the newborn, 1984: Oct., 612-615
- Positioning, during labor, 1982: Feb., 3-6
- Postdate fetus, intrapartum monitoring and management, 1982: June, 381-386
- Postnatal age, effect on insensible water loss, 1982: Oct., 460-461
- Postpartum period, neuroendocrine control, 1983: Oct., 723-736
- Postpericardiotomy syndrome, in infants, 1984: Feb., 210
- Posture, effect on insensible water loss, 1982: Oct., 463
- Preeclampsia, anesthesia for, 1982: Feb., 95-111, 122-126
- Pregnancy, abdominal trauma during, 1983: June, 423-438
  - ACTH-beta-endorphin in, 1983: Oct., 653-667
  - advanced, steroid hormones in, 1983: Oct., 535-544
  - burns and, 1983: June, 383-398
  - calcium homeostasis during, endocrine regulation of, 1983: Oct., 575-592
  - changes in steroid hormones during, 1983: Oct., 527-552
  - diabetic, endocrine and metabolic homeostasis in, 1983: Oct., 593-614
  - early, fetal placental steroid production in, 1983: Oct., 532-535
  - ectopic, anti-D immune globulin following, 1983: June, 345-346
  - effect of uterine anomalies on, 1983: June, 295-304
  - endometrial hormone production during, 1983: Oct., 630-636
  - folate deficiency in, 1984: June, 438-446
  - folate metabolism in, 1984: June, 436-438
  - fractures of spine and pelvis during, 1983: June, 433-434
  - fuel hormone balance during, 1982: Feb., 153-154
  - gynecologic tumors during, 1983: June, 369-383
  - hypertension of, endocrinology of, 1983: Oct., 737-761
  - loss of, recurrent, causes of, 1983: June, 323-328
  - maternal adaptations during, effect on anesthesia, 1982: Feb., 113-117, 136-143
  - maternal disorders in. See under specific disorders, as *Diabetes*.
  - maternal-fetal thyroid function in, 1983: Oct., 615-626
  - nonobstetric surgery during, anesthesia for, 1982: Feb., 135-152
  - physiologic anemia of, 1984: June, 435
  - RH-sensitized antenatal management, 1984: June, 251-281
  - uterine blood flow in, endocrine modulation of, 1983: Oct., 567-573
  - vitamin B<sub>12</sub> deficiency in, 1984: June, 448-450
- Prematurity, due to folate deficiency in pregnancy, 1984: June, 442-443
- Primitive reflex method, of neurologic assessment, 1984: Feb., 44-45
- Priscoline, for persistent pulmonary hypertension of the newborn, 1984: Oct., 695
  - implications for nursing, 1984: Oct., 685-686
  - pharmacology of, 1984: Oct., 703-713
- Progesterone, effect of pregnancy-induced hypertension on, 1983: Oct., 748-749
- in assessment of pregnancy, 1983: Oct., 768
- influence on uterine blood flow, 1983: Oct., 570-571
- maternal concentrations during early pregnancy, 1983: Oct., 533-534
- Prolactin, endometrial, during gestation, 1983: Oct., 631-635
  - in nonfertile cycles, 1983: Oct., 628-630

- in the maturing fetus, 1983: Oct., 543  
maternal, postpartum levels, 1983: Oct., 725  
myometrial, during gestation, 1983: Oct., 635-636  
serum, in diabetic pregnancy, 1983: Oct., 604-605
- Prostacyclin, infusions, effects on pulmonary circulation, 1984: Oct., 571-572
- Prostaglandins, D<sub>2</sub> infusions, effects on pulmonary circulation, 1984: Oct., 572-573  
E series, infusions, effects on the pulmonary circulation, 1984: Oct., 570  
effects on the pulmonary circulation, 1984: Oct., 558-560, 696  
future research directions, 1984: Oct., 746-747  
F series, infusions, effects on the pulmonary circulation, 1984: Oct., 570-571  
in body fluid regulation in newborn infant, 1982: Oct., 542-544  
in induction of midtrimester, abortion, 1983: June, 311-312  
in nonfertile cycles, 1983: Oct., 627-628  
production during gestation, 1983: Oct., 630-631  
related compounds and, effects on the pulmonary circulation, 1984: Oct., 565-579  
in pregnancy-induced hypertension, 1983: Oct., 746-748  
synthesis inhibition, in persistent pulmonary hypertension of the newborn, 1984: Oct., 581-589
- Protein binding, and placental transfer of local anesthetics, 1982: Feb., 16-22, 31
- Prothrombin time (PT), for detecting coagulation factor deficiencies in neonates, 1984: June, 312
- Pseudomonas aeruginosa*, effects on the pulmonary circulation, 1984: Oct., 596-597
- Pseudostrabismus, due to cicatricial retrolental fibroplasia 1984: Feb., 138
- Pulmonary circulation, at birth, 1984: Oct., 553-554  
effect of group B streptococcus on, 1984: Oct., 591-599  
effects of prostaglandins and related compounds on, 1984: Oct., 565-579  
maladaptation, 1984: Oct., 532-533  
normal development, 1984: Oct., 527-532  
postnatal, 1984: Oct., 554-555
- Pulmonary disorders, associated with non-immune hydrops fetalis, 1982: Oct., 615-616
- Pulmonary hypertension, neonatal, symposium on, 515-755
- Pulmonary hypoplasia, persistent pulmonary hypertension and, 1984: Oct., 538-545
- Pulmonary vascular bed, excessive muscularization, persistent pulmonary hypertension and, 1984: Oct., 533-538  
underdevelopment of, persistent pulmonary hypertension and, 1984: Oct., 538-545
- Pulmonary vascular resistance. See *Vascular resistance, pulmonary*.
- Pulmonary vasodilator therapy, in persistent pulmonary hypertension of the newborn, 1984: Oct., 693-701
- Pulmonary venous return, obstruction to, causing persistent pulmonary hypertension of the newborn, 1984: Oct., 604-610
- Purpura, thrombocytopenic, idiopathic, pregnant patient with, 1984: June, 367  
thrombotic, 1984: June, 372
- Radiant energy, effect on insensible water loss, 1982: Oct., 466-467
- Radiant warmers, descriptions and prices, 1983: Feb., 264-265  
effect on insensible water loss, 1982: Oct., 472, 475, 483-503
- Radiograph, chest, in diagnosis of persistent pulmonary hypertension of the newborn, 1984: Oct., 633
- Radiography equipment, 1983: Feb., 192
- Radionuclide angiography, in diagnosis of neonatal thrombosis, 1984: June, 475
- Radiotelemetry, for fetal monitoring, 1983: Feb., 249
- Rapid surfactant tests, for fetal pulmonary maturity, 1982: June, 308-309
- Recovery rooms, equipment costs, 1983: Feb., 181  
planning, building, and evaluating, 1983: Feb., 116, 145
- Relaxin, 1983: Oct., 641-651
- Renal. See also *Kidney*.
- Renal agenesis, pulmonary hypoplasia and, 1984: Oct., 542
- Renal disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 616
- Renal-hormonal interaction, in body fluid regulation in the newborn, 1982: Oct., 535-557
- Renal perfusion scan, in diagnosis of neonatal thrombosis, 1984: June, 475
- Renin, in pregnancy-induced hypertension, 1983: Oct., 738-741
- Renin-angiotensin-aldosterone, effect of pregnancy-induced hypertension on, 1983: Oct., 737-746

- Renin-angiotensin-aldosterone  
(Continued)  
in newborn, in body fluid regulation,  
1982: Oct., 537-542
- Respirators, neonatal, 1983: Feb., 205-221  
descriptions and prices, 1983: Feb.,  
271-274
- Respiratory distress syndrome, effect on in-  
sensible water loss, 1982: Oct., 463  
testing, 1982: June, 301-305
- Respiratory pattern, neonatal ventilators  
and, 1983: Feb., 205-208
- Respiratory system, maternal adaptations  
during pregnancy, 1982: Feb., 136-140
- Respiratory water loss, in neonates, 1982:  
Oct., 454-456
- Resuscitation, of neonate, 1982: Feb.,  
177-190  
drugs used in, 1982: Feb., 186-187  
equipment, 1982: Feb., 186  
technique, 1982: Feb., 182
- Resuscitation room, planning, building, and  
evaluating, 1983: Feb., 117-118
- Retina, breaks in, due to cicatricial retrolen-  
tal fibroplasia, 1984: Feb., 140  
detachment, late, due to cicatricial retrolen-  
tal fibroplasia, 1984: Feb., 138  
displacement of, due to cicatricial retrolen-  
tal fibroplasia, 1984: Feb., 140
- Retinopathy of prematurity, 1984: Feb.,  
123-151  
active, 1984: Feb., 130-132  
cicatricial, 1984: Feb., 133-134  
congenital, 1984: Feb., 134  
regression of, 1984: Feb., 132-134  
risk factors, 1984: Feb., 128-130
- Retrolental fibroplasia, blindness due to, de-  
velopment of child with, 1984: Feb.,  
143-147  
in the high-risk infant, 1984: Feb., 14.  
See also under *Retinopathy of prema-  
turity*.
- Rh factor, in preventing Rh hemolytic dis-  
ease, 1984: June, 251-252
- Rh immune globulin, antepartum, 1983:  
June, 343-355  
cost-benefit analysis, 1983: June, 350-351
- Rh immunization, antenatal management,  
1984: June, 251-266  
antenatal prophylaxis, cost-effectiveness,  
1984: June, 267-281  
due to midtrimester abortion, 1983: June,  
317
- Rh phenotyping, fetal blood sampling for,  
1983: June, 363
- Right ventricular dysfunction, pulmonary  
hypertension and, 1984: Oct., 630
- Rubella, congenital hearing loss due to,  
1984: Feb., 155
- Salicylates, effects on pulmonary circulation,  
1984: Oct., 582-587
- Sarcoma, of uterus, during pregnancy, 1983:  
June, 375
- Scalp blood sampling, fetal, 1982: June,  
353-361  
using TpH electrode, 1982: June,  
409-422
- Schwachman-Diamond syndrome, 1984:  
June, 422-423
- Seizures, apnea and, 1984: Feb., 91  
in the high-risk infant, 1984: Feb., 14,  
175-188
- Serotonin, effects on the pulmonary circula-  
tion, 1984: Oct., 558
- Shock, neonatal, 1982: Feb., 187-188
- Short bowel syndrome, in the high-risk in-  
fant, 1984: Feb., 14, 189-197
- Shunting, in cardiovascular persistent pul-  
monary hypertension of the newborn,  
1984: Oct., 602  
obligatory, causing persistent pulmonary  
hypertension of the newborn, 1984:  
Oct., 615-616
- Sickle cell disease, diagnosis by gene map-  
ping, 1984: June, 298-301  
screening for parents, 1984: June, 290
- Skull fracture, as birth injury, 1983: June,  
490-491  
severe, long-term prognosis, 1983:  
June, 515-516
- Soft tissue injuries, in neonates, due to birth  
trauma, 1983: June, 489
- Somatomammotropin, human chorionic,  
1983: Oct., 675-678
- Somatostatin, in the placenta, 1983: Oct.,  
561-562
- Space considerations, in planning a perinatal  
center, 1983: Feb., 3-4, 11-13
- Spastic diplegia, anticipated outcome, 1984:  
Feb., 50
- Spastic hemiparesis, anticipated outcome,  
1984: Feb., 50
- Spastic tetraparesis-dyskinesia, anticipated  
outcome, 1984: Feb., 49-50
- Spectrophotometry, amniotic fluid, for Rh  
disease, 1984: June, 255-259
- Speech and hearing, in the child with bron-  
chopulmonary dysplasia, 1984: Feb.,  
112-113
- Sperm capacitation, in in vitro fertilization,  
1983: June, 288
- Spinal cord, lesions, due to birth trauma,  
long-term prognosis, 1983: June,  
511-512
- Spine, injuries, due to birth trauma, 1983:  
June, 498
- Spironolactone, for use in neonates, 1982:  
Oct., 550

- Steroid hormones, formation in pregnancy, 1983: Oct., 669-672  
gestational changes in, 1983: Oct., 527-552
- Steroid sulfates, fetal, 1983: Oct., 685-686  
in fetal assessment, 1983: Oct., 772
- Stillbirth, due to folate deficiency, 1984: June, 442
- Strabismus, due to cicatricial retrolental fibroplasia, 1984: Feb., 138
- Streptococcus, group B, effects on the pulmonary circulation, 1984: Oct., 591-599
- Stress testing, for uteroplacental insufficiency, 1982: June, 265-270
- Sudden infant death syndrome (SIDS), apnea and, home monitoring for, 1984: Feb., 85-100  
victims of, siblings of, 1984: Feb., 88-91
- Supine hypotensive syndrome, anesthesia and, 1982: Feb., 114-115
- Support services, perinatal, 1983: Feb., 101-103, 124-125, 162
- Surgery, fetal, 1983: June, 399-410  
for neonatal thrombosis, 1984: June, 479-480  
for uterine anomalies, 1983: June, 300-301  
in obese pregnant patients, 1983: June, 411-421  
nonobstetric, during pregnancy, anesthesia for, 1982: Feb., 135-152
- Surgical considerations, in child with bronchopulmonary dysplasia, 1984: Feb., 113
- Surgical scars, in high-risk infants, 1984: Feb., 222
- Systolic time intervals, of fetal cardiac cycle, 1982: June, 436-440
- Teratology, anesthesia and, 1982: Feb., 143-144
- Test tube babies, 1983: June, 285-294
- Tetraparesis-dyskinesia, spastic, anticipated outcome, 1984: Feb., 49-50
- $\alpha$ -Thalassemia, 1984: June, 286-287  
diagnosis by detection of deleted  $\alpha$ -genes, 1984: June, 298  
rationale for intrauterine diagnosis, 1984: June, 288  
screening for parents, 1984: June, 290
- $\beta$ -Thalassemia, 1984: June, 287-288  
diagnosis by gene mapping, 1984: June, 301-303  
rationale for intrauterine diagnosis, 1984: June, 288-289  
screening for parents, 1984: June, 290
- Theophylline, for apnea, 1984: Feb., 87-88  
for bronchopulmonary dysplasia, 1984: Feb., 109
- Thermogenesis, nonshivering, 1982: Feb., 179, 181
- Thiazides, for use in neonates, 1982: Oct., 550
- Thorazine, for persistent pulmonary hypertension of the newborn, 1984: Oct., 697
- Thrombin clotting time (CTT), for detecting coagulation factor deficiencies in neonates, 1984: June, 312
- Thrombocytopenia, alloimmune, neonatal, 1984: June, 368-371  
amegakaryocytic, 1984: June, 375-376  
associated with aplastic anemia, 1984: June, 377-378  
autoimmune, 1984: June, 365  
due to decreased platelet production, 1984: June, 375-378  
due to hypersplenism, 1984: June, 379  
immune, 1984: June, 364  
neonatal, 1984: June, 359-391  
nonimmune consumptive, 1984: June, 371-375
- Thrombocytopenia absent radii syndrome, 1984: June, 375-376
- Thrombocytopenic purpura, idiopathic, pregnant patient with, 1984: June, 367-368  
thrombotic, in neonates, 1984: June, 372-373
- Thrombosis, associated with thrombocytopenia, 1984: June, 372
- Thrombotic disease, in neonates, 1984: June, 461-488
- Thromboxanes, infusion of, effects on pulmonary circulation, 1984: Oct., 573-574
- Thyroid function, maternal-fetal, in pregnancy, 1983: Oct., 615-626
- Thyroid gland, fetal, 1983: Oct., 686-688
- Thyrotropin-releasing hormone, in the placenta, 1983: Oct., 559-561
- Tissue, retained, in midtrimester abortion, 1983: June, 317
- Tokodynamometers, for assessing uterine activity, 1983: Feb., 246-248
- Tolazoline, for persistent pulmonary hypertension of the newborn, 1984: Oct., 695  
implications for nursing, 1984: Oct., 686  
pharmacology of, 1984: Oct., 703-713
- Total anomalous pulmonary venous return, in infants, 1984: Feb., 209  
infradiaphragmatic, causing persistent pulmonary hypertension, 1984: Oct., 605-610
- Toxoplasmosis, congenital hearing loss due to, 1984: Feb., 155

- TpH electrode, for fetal scalp blood sampling, 1982: June, 409-422
- Transcutaneous blood gas monitors, descriptions and prices, 1983: Feb., 269-271
- Transcutaneous oxygen monitoring, in infants, burns due to, 1984: Feb., 223
- in management of bronchopulmonary dysplasia, 1984: Feb., 105-106
- Transepidermal water loss, in neonates, 1982: Oct., 453-456
- Transfusion, intrauterine, for fetuses with Rh disease, 1984: June, 259-262
- exchange, in treatment of hyperbilirubinemia, 1984: June, 344-351
- in neonates, risks, 1984: June, 403-415
- placental, 1982: Oct., 559-592
- Transient neurologic abnormality, of infancy, 1984: Feb., 49-50
- Transillumination equipment, 1983: Feb., 192
- Transitional circulation, persistent, symposium on, 1984: Oct., 515-755
- Transport, of infants with persistent pulmonary hypertension, nursing care during, 1984: Oct., 683
- Transport incubators, descriptions and prices, 1983: Feb., 265
- Transport services, of neonatal intensive care units, 1983: Feb., 39-40
- Trauma, abdominal, during pregnancy, 1983: June, 423-438
- birth, immediate management, 1983: June, 487-505
- severe, long-term prognosis, 507-521
- Truncus arteriosus, in infants, 1984: Feb., 209
- Tumors, gynecologic, during pregnancy, 1983: June, 369-382
- Twins, delivery, anesthesia for, 1982: Feb., 87-89
- placental transfusion and, 1982: Oct., 575
- Umbilical artery catheters, neonatal thrombosis associated with, 1984: June, 462-465
- Umbilical cord, acid-base determinations, 1982: June, 387-399
- clamping, early vs late, 1982: Oct., 586-587
- disorders of, associated with nonimmune hydrops fetalis, 1982: Oct., 618
- severance, natural birth and, 1982: Oct., 569-570
- Umbilical vein catheters, neonatal thrombosis associated with, 1984: June, 465-467
- Upper airway obstruction, apnea and, 1984: Feb., 91
- Urokinase, for neonatal thrombosis, 1984: June, 477-479
- Uterine activity, effect of epidural anesthesia on, 1982: Feb., 59-60
- Uterine contraction monitors, 1983: Feb., 244-248
- Uteroplacental blood flow, and placental transfer of local anesthetic, 1982: Feb., 15, 31
- Uteroplacental insufficiency, contraction stress testing, 1982: June, 265-270
- Uterus, anomalies of, effects on future pregnancies, 1983: June, 295-304
- classification of, 1983: June, 297-300
- surgical correction, 1983: June, 300-301
- as an endocrine compartment, 1983: Oct., 627-639
- blood flow through, in pregnancy, endocrine modulation of, 1983: Oct., 567-573
- infections in, chronic recurrent pregnancy loss due to, 1983: June, 324
- rupture, anesthetic considerations, 1982: Feb., 121
- tumors of, during pregnancy, 1983: June, 373-375
- Vagina, tumors of, during pregnancy, 1983: June, 370-371
- Vaginal delivery, after cesarean birth, 1983: June, 439-453
- Vascular accidents, deformities related to, 1984: Feb., 217-222
- Vascular resistance, pulmonary, control of, in fetus and neonate, 1984: Oct., 551-564
- failure of decrease, in 1984: Oct., 532-533
- Vasodilator therapy, pulmonary, in persistent pulmonary hypertension of the newborn, 1984: Oct., 693-701
- Vasopressin, arginine, secretion and control, 1983: Oct., 696-697
- Ultrasonography, in determining fetal maturity, 1982: June, 303
- in diagnosis of hydrops fetalis, 1982: Oct., 627-636
- in diagnosis of neonatal thrombosis, 1984: June, 475
- in midtrimester abortion patients, 1983: June, 309
- in monitoring fetal movement, 1982: June, 232, 245
- in neonatal head imaging, 1983: Feb., 224-225
- in obstetrics, 1983: Feb., 253-261
- real-time two-dimensional, in diagnosis of neonatal thrombosis, 1984: June, 476

- Venous occlusion plethysmography, for estimating cerebral blood flow, 1983: Feb., 232
- Venous thrombosis, in neonates, 1984: June, 467-468
- Ventilation, mechanical, for management of persistent pulmonary hypertension of the newborn, 1984: Oct., 641-652  
complications of, 1984: Oct., 653-672  
developmental follow-up, 1984: Oct., 738-743  
effects on cerebral blood flow and metabolism, 1984: Oct., 673-680  
future research directions, 1984: Oct., 750-751  
nursing care during, 1984: Oct., 683
- Ventricular septal defect, in infants, persistent pulmonary hypertension and, 1984: Oct., 533
- Ventilators, neonatal, 1983: Feb., 205-221  
descriptions and prices, 1983: Feb., 271-274  
performance of, 1983: Feb., 213-220  
physical characteristics, 1983: Feb., 208-213
- Ventral defects, of fetal body, perinatal management, 1983: June, 402-403
- Ventricle, left, hypoplastic, in infants, 1984: Feb., 205-206  
single, in infants, 1984: Feb., 209
- Ventricular septal defect, in infancy, 1984: Feb., 203
- Vestibular testing, 1984: Feb., 167
- Vision problems, in the child with bronchopulmonary dysplasia, 1984: Feb., 113
- Vitamin B<sub>12</sub> deficiency, in mother and neonate, 1984: June, 433-459
- Vitamin E, retinopathy of prematurity and, 1984: Feb., 140-143
- Vitamin E deficiency anemia, in neonates, 1984: June, 393-402
- Vitrectomy, for late cicatricial retinopathy of prematurity, 1984: Feb., 137
- Vitreous membranes, due to cicatricial retrolental fibroplasia, 1984: Feb., 140
- Von Willebrand's syndrome, 1984: June, 315-317
- Vulva, tumors of, during pregnancy, 1983: June, 369-370
- Warfarin, for neonatal thrombosis, 1984: June, 477
- Warmers, descriptions and prices, 1983: Feb., 264-265
- Water. See also *Body water*; *Fluid and electrolytes*; and *Fluid balance*.  
insensible loss of, in newborn infants, 1982: Oct., 453-482
- Well-baby nursery, 1983: Feb., 121-122

